


GIUSEPPE MAURIZIO **SCUTELLÀ**

Born in Italy in 1962, Giuseppe Maurizio Scutellà in an expert in die-cast molding for object design. Having created products for Ducati and Mercedes amongst others, Scutellà approaches lighting fixtures as appliances with a soul, choosing to emphasize their magic over practicality.





TECHNOLOGY

Pirce's award-winning design is one of Artemide's top sellers. Originally released in halogen, its light source has been reimagined to incorporate a high quality, energy-efficient LED light source.

INTERGRAPH CORPORATE HEADQUARTERS, HUNTSVILLE, ALABAMA, USA


Project: Cooper Carry Photo: Josh Meister





ELEGANCE

Pirce is not only an elegant light source, it is an alluring decoration with a strong sense of presence turned on or off. Its slim disc merges softly into flowing twirls that spiral downwards to create alluring lighting effects.



PIRCE 12 GIUSEPPE MAURIZIO SCUTELLÀ




VERSATILITY

The Pirce collection of ceiling, suspension, and wall models comes in three different sizes available in white or black finishes. When these models are combined, Pirce complements any modern space with brilliant design consistency, whether residential or commercial.

ARCHITECT YOUR HOME

Project: Architect Your Home

Photo: Tim Mitchell



Pirce Ceiling

Technical data








27 ^{3/16}" 69 cm





PIRCE MINI

MATERIALS	Flexible painted steel structure, covered with a natural anti-yellowing silicone case
EMISSION	Indirect
LIGHT SOURCE	LED 28W 2700K > 90CRI or LED 28W 3000K > 93CRI
DIMMING FEATURE	Dimmable
FINISH	O White
CERTIFICATIONS	c.UL.us listed

PIRCE

MATERIALS	Flexible painted steel structure, covered with a natural anti-yellowing silicone case
EMISSION	Indirect
LIGHT SOURCE	LED 28W 2700K > 90CRI or LED 28W 3000K > 93CRI
DIMMING FEATURE	Dimmable
FINISH	O White
CERTIFICATIONS	c.UL.us listed



Pirce Suspension

Technical data










48 cm

Standard length

Min. 19^{3/4}" - Max. 84" Min. 50 cm - Max. 213.4 cm

Extended length

Min. 19^{3/4}" - Max. 216 " Min. 50 cm - Max. 548 cm



5 cm




Standard length

Min. 19^{3/4}" - Max. 84" Min. 50 cm - Max. 213.4 cm

Extended length

Min. 19^{3/4}" - Max. 216 " Min. 50 cm - Max. 548 cm



381/2"

97.7 cm

Standard length

Min. 19^{3/4}" - Max. 84" Min. 50 cm - Max. 213.4 cm

Extended length


Min. 19^{3/4}" - Max. 216 " Min. 50 cm - Max. 548 cm

	PIRCE MICRO	PIRCE MINI	PIRCE
MATERIALS	Flexible painted steel structure, covered with a natural anti-yellowing silicone case	Flexible painted steel structure, covered with a natural anti-yellowing silicone case	Flexible painted steel structure, covered with a natural anti-yellowing silicone case
EMISSION	Indirect	Indirect	Indirect
LIGHT SOURCE	LED 28W 2700K > 90CRI or LED 28W 3000K > 80CRI	LED 28W 2700K > 90CRI or LED 28W 3000K > 93CRI	LED 28W 2700K > 90CRI or LED 28W 3000K > 93CRI
DIMMING FEATURE	Dimmable	Dimmable	Dimmable
FINISH	O White Gold	O White Gold	O White Gold
CERTIFICATIONS	c.UL.us listed	c.UL.us listed	c.UL.us listed




Technical data





MATERIALS	Flexible painted steel structure, covered with a natural anti-yellowing silicone case
EMISSION	Indirect
LIGHT SOURCE	LED 28.3W 2700K > 90CRI or LED 28.3W 3000K > 80CRI
DIMMING FEATURE	Dimmable
FINISH	O White
CERTIFICATIONS	c.UL.us listed



UNITED STATES HEADQUARTERS

Artemide Inc.
250 Karin Lane
Hicksville, NY 11801
T. 631-694-9292
Toll Free 1-877-Art-9111
email: infousa@artemide.net

CANADIAN HEAD OFFICE

Artemide Canada Ltd.
11105, rue Renaude Lapointe
Montréal, QC H1J 2T4
T. 514-323-6537
Toll Free 1-888-777-2783
email: infocanada@artemide.net

Artemide

For retail sales contact information, please visit

www.artemide.net/store-locator

For contract sales contact information, please visit

www.artemide.net/sales-representative