

PIRCE



BY
GIUSEPPE MAURIZIO SCUTELLÀ




Artemide®



GIUSEPPE MAURIZIO SCUTELLÀ

Born in Italy in 1962, Giuseppe Maurizio Scutellà is an expert in die-cast molding for object design. Having created products for Ducati and Mercedes amongst others, Scutellà approaches lighting fixtures as appliances with a soul, choosing to emphasize their magic over practicality.





TECHNOLOGY

Pirce's award-winning design is one of Artemide's top sellers. Originally released in halogen, its light source has been reimagined to incorporate a high quality, energy-efficient LED light source.

ELEGANCE

Pirce is not only an elegant light source, it is an alluring decoration with a strong sense of presence turned on or off. Its slim disc merges softly into flowing twirls that spiral downwards to create alluring lighting effects.





VERSATILITY

The Pirce collection of ceiling, suspension, and wall models comes in three different sizes available in white or black finishes. When these models are combined, Pirce complements any modern space with brilliant design consistency, whether residential or commercial.

PIRCE ceiling

PIRCE MINI ceiling




EMISSION
indirect

LIGHT SOURCE
LED
28W 2700K >90CRI
or
28W 3000K >93CRI

DIMMING FEATURE
dimmable

DIMENSIONS



FINISH
☐ white

CERTIFICATIONS
c.UL.us listed

PIRCE ceiling




EMISSION
indirect

LIGHT SOURCE
LED
28W 2700K >90CRI
or
28W 3000K >93CRI

DIMMING FEATURE
dimmable

DIMENSIONS



FINISH
☐ white

CERTIFICATIONS
c.UL.us listed

PIRCE MICRO wall

EMISSION

indirect

LIGHT SOURCE

LED

28.3W 2700K >90CRI


or

28.3W 3000K >80CRI

DIMMING FEATURE

dimmable

DIMENSIONS



FINISH

☐ white

CERTIFICATIONS

c.UL.us listed



PIRCE suspension

PIRCE MICRO LED suspension




EMISSION
indirect

LIGHT SOURCE
LED
28W 2700K >90CRI
or
28W 3000K >80CRI

DIMMING FEATURE
dimmable

DIMENSIONS



FINISH
☐ white

CERTIFICATIONS
c.UL.us listed

PIRCE MINI suspension




EMISSION
indirect

LIGHT SOURCE
LED
28W 2700K >90CRI
or
28W 3000K >93CRI

DIMMING FEATURE
dimmable

DIMENSIONS



FINISH
☐ white

CERTIFICATIONS
c.UL.us listed

PIRCE LED suspension




EMISSION
indirect

LIGHT SOURCE
LED
28W 2700K >90CRI
or
28W 3000K >93CRI

DIMMING FEATURE
dimmable

DIMENSIONS



FINISH
☐ white

CERTIFICATIONS
c.UL.us listed

*For **retail sales** contact information, please visit*
www.artemide.net/store-locator



*For **contract sales** contact information, please visit*
www.artemide.net/contract-sales