

Ginger Joan Gaspar

Ginger Joan Gaspar Marset






Ginger 60C IP65

23.6" 6.5"


Ginger 42C IP65



Ginger 32C IP65



Painted aluminum diffuser. Lacquered black matt injected aluminium dissipater.





dimmable

Suitable for wet locations

Ginger 32C IP65

Light Source:

LED SMD 700mA 7.8W 2700K CRI90 913lm Luminaire:

100 - 120 VAC TRIAC 14W 350lm- Black-White 120 - 277 VAC 0-10V 14W 350lm- Black-White

100 - 120 VAC TRIAC 14W 81lm- Rust Brown 120 - 277 VAC 0-10V 14W 81lm- Rust Brown

Ginger 42C IP65

Light source:

LED SMD 700mA 15.4W 2700K CRI90 1873lm Luminaire:

90 - 135 VAC TRIAC 21W 698lm- Black-White 120 - 277 VAC 0-10V 21W 698lm- Black-White 90 - 135 VAC TRIAC 21W 186lm- Rust brown 120 - 277 VAC 0-10V 21W 186lm- Rust brown

Ginger 60C IP65

Light source:

LED SMD 700mA 21W 2700K CRI90 2933lm Luminaire:

Only 120 VAC TRIAC 28W 1165Im- Black-White 120 - 277 VAC 0-10V 28W 1165Im- Black-White Only 120 VAC TRIAC 28W 245Im - Rust brown 120 - 277 VAC 0-10V 28W 245Im - Rust brown

LED included

Ginger 32C IP65

Dimming protocols: Phase cut (Triac) 0-10V

Ginger 42C IP65

Dimming protocols: Phase cut (Triac) 0-10V

Ginger 60C IP65

Dimming protocols: Dual dimming driver Phase cut (Triac) or 0-10V

marsetusa@marset.com www.marset.com




The new outdoor wall sconces add a new finish to the collection. The white, oak and wenge of the interior versions are joined by a rust texture for the exterior, which creates new and intense lighting effects.



LED-Ginger Joan Gaspar

LED-Ginger Joan Gaspar marset





LED-Ginger 20C IP65

LED-Ginger 15C IP65









LED-Ginger 15C IP65

LED-Ginger 15C IP65

Light source:

LED SMD 24Vdc 5W 2700K CRI90 495lm Luminaire:

(Power supply not included) 67lm - Black-White (Power supply not included) 27lm - Rust brown

LED-Ginger 20C IP65

Light source:


LED SMD 24Vdc 5W 2700K CRI90 495lm Luminaire:

(Power supply not included) 161lm - Black-White (Power supply not included) 29lm - Rust brown

LED included

Painted aluminum diffuser. Lacquered black matt injected aluminum dissipater.

Rust brown





dimmable

Dimmable depending on the purchased power supply . 24V remote power supply to be ordered separately.

Dimming protocols: 0-10V

Suitable for wet locations

Wall / Ceiling mount

Range





marsetusa@marset.com

The new outdoor wall sconces add a new finish to the collection. The white, oak and wenge of the interior versions are joined by a rust texture for the exterior, which creates new and intense lighting effects.